

1<sup>st</sup> Floor, Above Bhairavnath Post Office,  
Opp Pragati Society, Nr. Meera Cross Roads  
Maninagar, Ahmedabad - 380028  
Tele Fax : + 91-079-25431453, 8140179903

Website :- [www.sspumpsindia.com](http://www.sspumpsindia.com), E-mail :- [info@sspumpsindia.com](mailto:info@sspumpsindia.com).

## FUEL TRANSFER NOZZLES

### ➤ AUTOMATIC NOZZLE

**MODEL : AC-120**:- AC – 120 Automatic nozzles are made of alloy aluminum heavy – duty high flow nozzle, for fueling truck, bus etc this is low cost nozzle with long life , max flow is 120 LPM

MODEL	AC-120	AC-150
INLET THREAD	BSPF/NPT 1"	BSPF/NPT 1"
DIAMETER OF SPOUT	1"	1"
NET WEIGHT	17 kg	14 kg
GROSS WEIGHT	18 kg	15 kg
DIMENSION	420 x 340 x 400 mm	420 x 340 x 400 mm



**MODEL : AC-150**:- Longer Spout auto nozzle with high flow, bulk fuel oil delivery service, the biggest advantages is with longer spout , it is used for filling truck, big bus.

Flow rate:- 150 lpm,  
Spout Length :- 350 mm,  
Inlet x Outlet :- 1" X 1"

### **MODEL : AC-200**

AC-200 Automatic Nozzles are made of alloy aluminum and designed with big flow rate, and the max flow rate is 260 lpm.

MODEL	AC-200
FLOWRATE	260 LPM
INLET	BSPF/NPT 1.5*
PACKAGE	10 pcs / Carton
NET WEIGHT	24 kg
GROSS WEIGHT	25 kg
DIMENSION	350 x 350 x 520 mm





## ➤ **TURBINE MEASURING NOZZLE AC-15A**

Screw turbine type measuring nozzle is the meter to measure volume flow of liquid flowing through turbine. For gasoline, kerosene, fueling diesel etc.

The best advantage is that we can re-correct the error according to different medium.

Measured media. Gasoline, If the medium is kerosene, diesel, we should correct it according to the measuring tank, for more correcting details, please check according to the product instruction.

### **Nominal Diameter and Flow**

MODEL	ACCURACY	WORKING PRESSURE	INLET OUTLET	MAXIMUM FLOW (LPM)	METER VALUE
AC-15 A	+ 0.5%	1kg per cm <sup>2</sup>	1"	120	1~9999

## ➤ **ELECTRONIC MANUAL NOZZLE (TP1619)**

MODEL	TP1619
INLET THREAD	BSPF/NPT3/4", 1", 1.5"
DIAMETER OF SPOUT	3/4"
FLOW METER (LPM)	0-200
PCS / CTN	10
N.W. KGS	11
G.W. KGS	12
PACKING SIZE (cm)	50*40*44



## ➤ **CHEMICAL NOZZLE**

### **MODEL : AC-5000 / AC-6000**

For AC-5000 , AC-6000 Manual Plastic Nozzles are made of PP , EDPM and Designed with today's customer in mind . Inlet 3/4" and Outlet is 3/4 " and it can fill kind of chemical material. Ad blue urea especially use in farm



